



ENGINE DRIVEN




# Bobcat 250

Part No: MR907500001-1 [Kohler Petrol Engine]



REDESIGNED

QUIETER. SMALLER. LIGHTER.



Up to **33%** Sound Reduction

### IMPROVED! UP TO 33% QUIETER

- > Significant improvements in sound level and quality offer better jobsite communication, making for a safer work environment.
- > The engine has been rotated toward the front to create efficient airflow and quieter operation. Now you can start the job earlier and work around hospitals, businesses and residential areas.



**12cm** Shorter  
Up to **24kg** Lighter

### IMPROVED! SMALLER & LIGHTER DESIGN

Takes up less space on trucks and trailers - leaving more room on your truck for other equipment and tools.



### REVERSED GENERATOR AIRFLOW

Exclusive engine and generator packaging design operates cooler and more efficiently. The engine is rotated towards the front to create more efficient airflow. More efficient airflow and exclusive engine location are significant contributors to reduced sound level and size. Hot air recirculation is eliminated when machine is mounted in tight spots, and internal parts are kept cool for optimal performance.



welding.com.au 1300 300 884



ENGINE DRIVEN



# Bobcat 250

Part No: MR907500001-1 [Kohler Petrol Engine]

## IMPROVED! EASIER MAINTENANCE

Maintenance is now faster and easier. With front panel maintenance displays, you know when your equipment needs to be serviced.


- > Oil checks can be performed from the top by the front panel.
- > Single-side fuel fill and oil drain/filter.
- > Tool-less panels that allow for quick access.



Air filter

Oil fill

Oil level check



Fuel fill

Oil filter

Oil drain

Fuel filter

APPLICATIONS	PROCESSES
Maintenance	Stick (SMAW)
Repair	Flux-Cored (FCAW)
Rural	MIG (GMAW)
Fabrication	DC TIG (GTAW)
Structural Steel Work	Air Carbon Arc (CAC-A)
Stand-Alone Generator	Cutting and Gouging (4.8mm carbons)
	Air Plasma Cutting and Gouging with Optional Spectrum Models

## LONG RUNTIMES

Large 45L fuel capacity means many hours of run time before refuelling.

## VERSATILE AC AND DC WELD OUTPUT

Provides quality welds on all types of metals. DC is smooth and easy to run while AC Stick is used when arc blow occurs.

## MULTI-PROCESS CAPABILITY

MIG, Stick, DC, AC, TIG

## AUXILIARY OUTPUT\*

- > 2 X 15 Amp Sockets.
- > RCD.
- > 1 X 32 A 240 V 1PH 60Hz.

## SMOOTH GENERATOR POWER

Revolutionary ten degree skewed rotor design optimises generator performance. Typical equipment which can be run includes hand tools, circular saw, air compressor and flood lights.

## 3 YEAR WARRANTY

Welder/generator is warranted by Miller for 3 years, parts and labour. For details, refer to Miller's True Blue warranty statement. Engine is warranted separately by engine manufacturer.

\*Generator auxiliary power is 60Hz, and intended for operating equipment associated with welding, such as angle grinders, drills and floodlights. Some Australian 50Hz equipment incorporating induction motors, such as pumps, fans, air compressors, refrigeration or air-conditioners, may not operate correctly and could be damaged. Refer to appliance supplier or manufacturer to confirm suitability.

WELDING MODE	PROCESS	AMP/VOLT RANGE	RATED OUTPUT	GENERATOR POWER	DIMENSIONS (MM)	WEIGHT (WITHOUT FUEL)
CC/AC	Stick/TIG	40 - 140 A 60 - 160 A 80 - 225 A	225 A at 25 V, 100% Duty Cycle	Peak: 11,000 Watts Continuous: 9,500 Watts 44 A, 240 VAC, 60 Hz	H: 711 H: 832 (to top of exhaust) W: 508 D: 1029	227kg
CC/DC	Stick/TIG	100 - 250 A	250 A at 25 V, 100% Duty Cycle			
CV/DC	MIG/FCAW	17 - 22 V 20 - 28 V	250 A at 25 V, 100% Duty Cycle			



welding.com.au 1300 300 884



**ENGINE DRIVEN**



# Bobcat 250

Part No: MR907500001-1 [Kohler Petrol Engine]



## ORDERING INFORMATION - AVAILABLE BASE PACKAGE

### POWER SOURCE

MR907500001-1 (Petrol) Bobcat 250

### WIREFEEDER

MR300876 Suitcase 12VS X-Treme Wirefeeder

### REQUIRED ACCESSORIES

AA74-0/10 10m lead kit to suit 12VS wirefeeder

HA801AR Argon regulator & flow gauge

BEQ4012AR8EMC Bernard 440 Amp 3.6m MIG gun

MR190300 0.9 / 1.2 mm "V" groove roll kit for solid wires

MR079607 1.2mm drive rollers for gasless wire

### MMAW

AA73-1/10 Welding lead 50mm<sup>2</sup> x 10m with electrode holder  
400A twist type & JB type cable connector in-line 500A



welding.com.au 1300 300 884